

# Natural Values Atlas Report

*Authoritative, comprehensive information on Tasmania's natural values.*

Reference:

Requested For: UTAS

Report Type: Summary Report

Timestamp: 07:57:42 AM Friday 05 November 2021

Threatened Flora: buffers Min: 500m Max: 5000m

Threatened Fauna: buffers Min: 500m Max: 5000m

Raptors: buffers Min: 500m Max: 5000m

Tasmanian Weed Management Act Weeds: buffers Min: 500m Max: 5000m

Priority Weeds: buffers Min: 500m Max: 5000m

Geoconservation: buffer 1000m

Acid Sulfate Soils: buffer 1000m

TASVEG: buffer 1000m

Threatened Communities: buffer 1000m

Fire History: buffer 1000m

Tasmanian Reserve Estate: buffer 1000m

Biosecurity Risks: buffer 1000m




The centroid for this query GDA94: 526501.0, 5249791.0 falls within:

Property: 0

# Threatened flora within 500 metres

527591, 5250988



525413, 5248757

Please note that some layers may not display at all requested map scales

# Threatened flora within 500 metres

Legend: Verified and Unverified observations

● Point Verified

● Point Unverified

▬ Line Verified

▬ Line Unverified

□ Polygon Verified

□ Polygon Unverified

Legend: Cadastral Parcels



# Threatened flora within 500 metres

## Verified Records

Species	Common Name	SS	NS	Bio	Observation Count	Last Recorded
<i>Atriplex suberecta</i>	sprawling saltbush	v		n	1	01-Jan-1900
<i>Bolboschoenus caldwellii</i>	sea clubsedge	r		n	1	01-Nov-1892
<i>Carex gunniana</i>	mountain sedge	r		n	1	03-Dec-1990
<i>Scleranthus fasciculatus</i>	spreading knawel	v		n	1	22-Nov-1994
<i>Vittadinia muelleri</i>	narrowleaf new-holland-daisy	r		n	7	13-May-2011

## Unverified Records

No unverified records were found!

For more information about threatened species, please contact Threatened Species Enquiries.


Telephone: 1300 368 550

Email: [ThreatenedSpecies.Enquiries@dpiwve.tas.gov.au](mailto:ThreatenedSpecies.Enquiries@dpiwve.tas.gov.au)

Address: GPO Box 44, Hobart, Tasmania, Australia, 7000

# Threatened flora within 5000 metres

530915, 5255493



522096, 5244246

Please note that some layers may not display at all requested map scales

# Threatened flora within 5000 metres

Legend: Verified and Unverified observations

● Point Verified

● Point Unverified

▬ Line Verified

▬ Line Unverified

▭ Polygon Verified

▭ Polygon Unverified

Legend: Cadastral Parcels



# Threatened flora within 5000 metres

## Verified Records

Species	Common Name	SS	NS	Bio	Observation Count	Last Recorded
<i>Allocauarina duncanii</i>	conical sheoak	r		e	8	19-Dec-2020
<i>Asperula scoparia</i> subsp. <i>scoparia</i>	prickly woodruff	r		n	22	03-May-2017
<i>Asperula subsimplex</i>	water woodruff	r		n	2	01-Dec-1891
<i>Atriplex suberecta</i>	sprawling saltbush	v		n	1	01-Jan-1900
<i>Austrostipa bigeniculata</i>	doublejointed speargrass	r		n	68	24-Jun-2021
<i>Austrostipa blackii</i>	crested speargrass	r		n	2	29-Jan-2021
<i>Bolboschoenus caldwellii</i>	sea clubsedge	r		n	3	31-Jan-2006
<i>Brachyscome perpusilla</i>	tiny daisy	r		n	1	12-Oct-1901
<i>Brachyscome radicata</i>	spreading daisy	r		t	2	01-Apr-1913
<i>Caladenia caudata</i>	tailed spider-orchid	v	VU	e	10	30-Jun-2019
<i>Caladenia filamentosa</i>	daddy longlegs	r		n	5	30-Oct-2016
<i>Caladenia sylvicola</i>	forest fingers	e	CR	e	7	26-Oct-2009
<i>Calocephalus citreus</i>	lemon beautyheads	r		n	2	03-Feb-1948
<i>Carex gunniana</i>	mountain sedge	r		n	14	19-Aug-2013
<i>Carex longebrachiata</i>	drooping sedge	r		n	12	07-Oct-2016
<i>Comesperma defoliatum</i>	leafless milkwort	r		n	2	01-Jan-1896
<i>Corunastylis nuda</i>	tiny midge-orchid	r		n	29	24-Mar-2018
<i>Corunastylis nudiscapa</i>	bare midge-orchid	e		e	150	18-Feb-2021
<i>Damasonium minus</i>	starfruit	r		n	1	01-Dec-1890
<i>Dianella amoena</i>	grassland flaxlily	r	EN	n	15	14-Dec-2020
<i>Diuris lanceolata</i>	large golden moths	e	EN	e	2	01-Oct-1918
<i>Diuris palustris</i>	swamp doubletail	e		n	4	01-Jan-1970
<i>Epacris virgata</i> (Kettering)	pretty heath	pv		e	3	01-Mar-2006
<i>Eryngium ovinum</i>	blue devil	v		n	1	01-Jan-1929
<i>Eucalyptus risdonii</i>	risdon peppermint	r		e	1	17-Jun-2014
<i>Euphrasia scabra</i>	yellow eyebright	e		n	14	17-Jan-2011
<i>Goodenia geniculata</i>	bent native-primrose	e		n	1	01-Jan-1805
<i>Hyalosperma demissum</i>	moss sunray	e		n	2	15-Oct-1898
<i>Hydrocotyle laxiflora</i>	stinking pennywort	e		n	48	13-Aug-2018
<i>Isoetopsis graminifolia</i>	grass cushion	v		n	6	01-Jan-1896
<i>Isolepis stellata</i>	star clubsedge	r		n	1	30-Nov-1897
<i>Juncus vaginatus</i>	clustered rush	r		n	1	14-Mar-2001
<i>Lachnagrostis punicea</i> subsp. <i>filifolia</i>	narrowleaf blowgrass	r		n	1	01-Jan-1929
<i>Lepidium hyssopifolium</i>	soft peppergrass	e	EN	n	7	12-Nov-2002
<i>Olearia hookeri</i>	crimsontip daisybush	r		e	3	01-Dec-1923
<i>Pimelea flava</i> subsp. <i>flava</i>	yellow riceflower	r		n	8	28-Apr-2007
<i>Pomaderris intermedia</i>	lemon dogwood	r		n	1	10-Jul-2012
<i>Prasophyllum apoxychilum</i>	tapered leek-orchid	v	EN	e	2	29-Jan-1996
<i>Prasophyllum perangustum</i>	knocklofty leek-orchid	e	CR	e	13	04-Dec-2009
<i>Pterostylis atriola</i>	snug greenhood	r		e	3	30-Apr-2021
<i>Pterostylis squamata</i>	ruddy greenhood	v		n	3	06-Feb-1967
<i>Pterostylis wapstrarum</i>	fleshy greenhood	e	CR	e	1	07-Nov-1955
<i>Ranunculus pumilio</i> var. <i>pumilio</i>	ferny buttercup	r		n	1	19-Dec-1946
<i>Rhodanthe anthemoides</i>	chamomile sunray	r		n	1	15-Jan-1898
<i>Rumex bidens</i>	mud dock	v		n	1	01-Dec-1891
<i>Scleranthus fasciculatus</i>	spreading knawel	v		n	157	23-Aug-2019
<i>Senecio squarrosus</i>	leafy fireweed	r		n	59	16-Jan-2019
<i>Sirophysis trinodis</i>	three-node seaweed	r		n	1	01-Jan-2010
<i>Stenopetalum lineare</i>	narrow threadpetal	e		n	4	17-Oct-1942
<i>Thelymitra bracteata</i>	leafy sun-orchid	e		n	36	11-Nov-2016
<i>Thelymitra inflata</i>	inflated sun-orchid	e		n	2	30-Jun-2019
<i>Velleia paradoxa</i>	spur velleia	v		n	4	16-Jan-2014
<i>Vittadinia burbridgeae</i>	smooth new-holland-daisy	r		e	9	12-Mar-2011
<i>Vittadinia cuneata</i> var. <i>cuneata</i>	fuzzy new-holland-daisy	r		n	1	01-Jan-1993
<i>Vittadinia gracilis</i>	woolly new-holland-daisy	r		n	20	07-Oct-2016
<i>Vittadinia muelleri</i>	narrowleaf new-holland-daisy	r		n	244	22-Nov-2020
<i>Vittadinia muelleri</i> (broad sense)	narrow leaf new holland daisy	p		n	8	09-Jan-2006
<i>Westringia angustifolia</i>	narrowleaf westringia	r		e	1	01-Jan-1900
<i>Xerochrysum bicolor</i>	eastcoast paperdaisy	r		n	1	02-Apr-1997

## Unverified Records

## Threatened flora within 5000 metres

Species	Common Name	SS	NS	Bio	Observation Count
<i>Eucalyptus morrisbyi</i>	morrisbys gum	e	EN	e	1

For more information about threatened species, please contact Threatened Species Enquiries.

Telephone: 1300 368 550


Email: [ThreatenedSpecies.Enquiries@dpiwve.tas.gov.au](mailto:ThreatenedSpecies.Enquiries@dpiwve.tas.gov.au)

Address: GPO Box 44, Hobart, Tasmania, Australia, 7000



# Threatened fauna within 500 metres

527591, 5250988



525413, 5248757

Please note that some layers may not display at all requested map scales

# Threatened fauna within 500 metres

Legend: Verified and Unverified observations

● Point Verified

● Point Unverified

▬ Line Verified

▬ Line Unverified

□ Polygon Verified

□ Polygon Unverified

Legend: Cadastral Parcels



# Threatened fauna within 500 metres

## Verified Records

Species	Common Name	SS	NS	Bio	Observation Count	Last Recorded
<i>Accipiter novaehollandiae</i>	grey goshawk	e		n	18	06-Aug-2018
<i>Aquila audax</i>	wedge-tailed eagle	pe	PEN	n	1	06-Apr-2017
<i>Brachionichthys hirsutus</i>	spotted handfish	e	CR	e	8	08-Apr-2015
<i>Discocharopa vigens</i>	Ammonite Pinwheel Snail	e	CR		1	17-Jun-2021
<i>Eubalaena australis</i>	southern right whale	e	EN	m	1	14-Jul-2010
<i>Haliaeetus leucogaster</i>	white-bellied sea-eagle	v		n	11	31-Jul-2018
<i>Hirundapus caudacutus</i>	white-throated needletail		VU	n	6	28-Feb-2018
<i>Lathamus discolor</i>	swift parrot	e	CR	mbe	18	27-Oct-2014
<i>Pardalotus quadragintus</i>	forty-spotted pardalote	e	EN	e	1	21-Aug-2012
<i>Perameles gunnii</i>	eastern barred bandicoot		VU	n	38	08-Aug-2018
<i>Thinornis cucullatus</i>	hooded plover		PVU	n	1	28-Nov-2016
<i>Thinornis rubricollis</i>	hooded plover		VU	n	1	23-Nov-1928

## Unverified Records

No unverified records were found!

## Threatened fauna within 500 metres (based on Range Boundaries)

Species	Common Name	SS	NS	BO	Potential	Known	Core
<i>Litoria raniformis</i>	green and gold frog	v	VU	n	1	0	1
<i>Lathamus discolor</i>	swift parrot	e	CR	mbe	1	0	1
<i>Dasyurus maculatus</i> subsp. <i>maculatus</i>	spotted-tail quoll	r	VU	n	1	0	0
<i>Discocharopa vigens</i>	Ammonite Pinwheel Snail	e	CR		1	0	0
<i>Prototroctes maraena</i>	australian grayling	v	VU	ae	1	0	0
<i>Antipodia chaostola</i>	chaostola skipper	e	EN	ae	1	0	1
<i>Pseudemoia pagenstecheri</i>	tussock skink	v		n	1	0	0
<i>Tyto novaehollandiae</i> subsp. <i>castanops</i>	masked owl (Tasmanian)	e	VU	e	1	0	1
<i>Haliaeetus leucogaster</i>	white-bellied sea-eagle	v		n	3	0	0
<i>Accipiter novaehollandiae</i>	grey goshawk	e		n	1	0	1
<i>Pardalotus quadragintus</i>	forty-spotted pardalote	e	EN	e	1	0	1
<i>Sarcophilus harrisi</i>	tasmanian devil	e	EN	e	1	0	0
<i>Brachionichthys hirsutus</i>	spotted handfish	e	CR	e	1	1	0
<i>Perameles gunnii</i>	eastern barred bandicoot		VU	n	1	0	1
<i>Aquila audax</i> subsp. <i>fleayi</i>	tasmanian wedge-tailed eagle	e	EN	e	1	0	0
<i>Dasyurus viverrinus</i>	eastern quoll		EN	n	0	0	1

For more information about threatened species, please contact Threatened Species Enquiries.


Telephone: 1300 368 550

Email: [ThreatenedSpecies.Enquiries@dPIPWE.tas.gov.au](mailto:ThreatenedSpecies.Enquiries@dPIPWE.tas.gov.au)

Address: GPO Box 44, Hobart, Tasmania, Australia, 7000

# Threatened fauna within 5000 metres

530915, 5255493



522096, 5244246

Please note that some layers may not display at all requested map scales

# Threatened fauna within 5000 metres

Legend: Verified and Unverified observations

● Point Verified

✎ Line Unverified

● Point Unverified

□ Polygon Verified

✎ Line Verified

□ Polygon Unverified

Legend: Cadastral Parcels



# Threatened fauna within 5000 metres

## Verified Records

Species	Common Name	SS	NS	Bio	Observation Count	Last Recorded
Accipiter novaehollandiae	grey goshawk	e		n	141	01-Apr-2021
Antipodia chaostola	chaostola skipper	e	EN	ae	3	20-Nov-2006
Antipodia chaostola subsp. leucophaea	chaostola skipper	e	EN	e	3	30-Jul-2017
Aquila audax	wedge-tailed eagle	pe	PEN	n	48	29-Aug-2018
Aquila audax subsp. fleayi	tasmanian wedge-tailed eagle	e	EN	e	10	11-Apr-2020
Arctocephalus forsteri	new zealand fur seal	r		n	2	03-Mar-2018
Arctocephalus tropicalis	sub-antarctic fur seal	e	VU	n	1	13-Nov-2012
Botaurus poiciloptilus	australasian bittern		EN	n	1	28-Nov-1898
Brachionichthys hirsutus	spotted handfish	e	CR	e	156	29-Sep-2021
Dasyurus maculatus	spotted-tail quoll	r	VU	n	3	29-Feb-2020
Dasyurus maculatus subsp. maculatus	spotted-tail quoll	r	VU	n	1	01-Jan-1992
Dasyurus viverrinus	eastern quoll		EN	n	245	09-Apr-2021
Discocharopa vigens	Ammonite Pinwheel Snail	e	CR		38	17-Jun-2021
Eubalaena australis	southern right whale	e	EN	m	20	04-Jun-2021
Gazameda gunnii	Gunn's screw shell	v		ae	1	01-Jan-1950
Hadronyche pulvinator	cascade funnel-web spider	x		eH	2	01-Jan-1926
Haliaeetus leucogaster	white-bellied sea-eagle	v		n	57	29-May-2020
Hirundapus caudacutus	white-throated needletail		VU	n	45	24-Mar-2018
Lathamus discolor	swift parrot	e	CR	mbe	190	28-Sep-2021
Litoria raniformis	green and gold frog	v	VU	n	4	10-Oct-1985
Marginaster littoralis	Derwent River Seastar	e	CR	e?x	2	01-Jan-1900
Megaptera novaeangliae	humpback whale	e	VU	m	12	22-Nov-2019
Mirounga leonina	southern elephant seal	e	VU	n	1	27-Jan-2017
Mirounga leonina subsp. macquariensis	southern elephant seal	pe	PVU	n	2	01-Jan-1981
Pardalotus quadragintus	forty-spotted pardalote	e	EN	e	16	28-Feb-2021
Parvulastra vivipara	live-bearing seastar	v	VU	e	1	01-Oct-1995
Perameles gunnii	eastern barred bandicoot		VU	n	425	02-Aug-2021
Perameles gunnii subsp. gunnii	eastern barred bandicoot		VU		3	22-Aug-2021
Podiceps cristatus	great crested grebe	v		n	5	06-Feb-2016
Pseudemoia pagenstecheri	tussock skink	v		n	4	01-Jan-1998
Pteropus poliocephalus	grey-headed flying-fox		VU	n	1	09-May-2010
Roblinella agnewi	Silky Pinwheel Snail	r			1	01-Jan-1871
Sarcophilus harrisi	tasmanian devil	e	EN	e	243	06-Apr-2021
Serirolella brama	Blue Warehou		CD	n	1	01-Jan-1981
Thinornis cucullatus	hooded plover		PVU	n	1	28-Nov-2016
Thinornis rubricollis	hooded plover		VU	n	2	23-Nov-1928
Thylacinus cynocephalus	thylacine	x	EX	ex	1	01-Jan-1900
Tyto novaehollandiae	masked owl	pe	PVU	n	57	09-Jun-2018
Tyto novaehollandiae subsp. castanops	masked owl (Tasmanian)	e	VU	e	3	31-Jan-2021

## Unverified Records

No unverified records were found!

# Threatened fauna within 5000 metres

(based on Range Boundaries)

Species	Common Name	SS	NS	BO	Potential	Known	Core
Roblinella agnewi	Silky Pinwheel Snail	r			1	1	0
Litoria raniformis	green and gold frog	v	VU	n	1	0	1
Lathamus discolor	swift parrot	e	CR	mbe	1	0	1
Dasyurus maculatus subsp. maculatus	spotted-tail quoll	r	VU	n	1	0	0
Discocharopa vigens	Ammonite Pinwheel Snail	e	CR		1	0	1
Prototroctes maraena	australian grayling	v	VU	ae	3	0	0
Antipodia chaostola	chaostola skipper	e	EN	ae	2	0	1
Pseudemoia pagenstecheri	tussock skink	v		n	1	0	1
Tyto novaehollandiae subsp. castanops	masked owl (Tasmanian)	e	VU	e	1	0	1
Haliaeetus leucogaster	white-bellied sea-eagle	v		n	3	0	0
Accipiter novaehollandiae	grey goshawk	e		n	1	0	1
Pardalotus quadragintus	forty-spotted pardalote	e	EN	e	1	0	2
Sarcophilus harrisi	tasmanian devil	e	EN	e	1	0	0
Brachionichthys hirsutus	spotted handfish	e	CR	e	1	7	0
Perameles gunnii	eastern barred bandicoot		VU	n	1	0	1

## Threatened fauna within 5000 metres

Species	Common Name	SS	NS	BO	Potential	Known	Core
<i>Aquila audax subsp. fleayi</i>	tasmanian wedge-tailed eagle	e	EN	e	1	0	0
<i>Dasyurus viverrinus</i>	eastern quoll		EN	n	0	0	1

For more information about threatened species, please contact Threatened Species Enquiries.


Telephone: 1300 368 550

Email: [ThreatenedSpecies.Enquiries@dpiwve.tas.gov.au](mailto:ThreatenedSpecies.Enquiries@dpiwve.tas.gov.au)

Address: GPO Box 44, Hobart, Tasmania, Australia, 7000

# Raptor nests and sightings within 500 metres

527591, 5250988



525413, 5248757

Please note that some layers may not display at all requested map scales



# Raptor nests and sightings within 500 metres

Legend: Verified and Unverified observations

● Point Verified

● Point Unverified

▬ Line Verified

▬ Line Unverified

▭ Polygon Verified

▭ Polygon Unverified

Legend: Cadastral Parcels



# Raptor nests and sightings within 500 metres

## Verified Records

Nest Id/Location Foreign Id	Species	Common Name	Obs Type	Observation Count	Last Recorded
	Accipiter novaehollandiae	grey goshawk	Not Recorded	14	06-Aug-2018
	Accipiter novaehollandiae	grey goshawk	Sighting	4	01-Jan-1993
	Aquila audax	wedge-tailed eagle	Not Recorded	1	06-Apr-2017
	Falco longipennis	australian hobby	Sighting	1	19-Mar-1997
	Falco peregrinus	peregrine falcon	Not Recorded	7	20-Aug-2018
	Haliaeetus leucogaster	white-bellied sea-eagle	Not Recorded	11	31-Jul-2018

## Unverified Records

No unverified records were found!

## Raptor nests and sightings within 500 metres (based on Range Boundaries)

Species	Common Name	SS	NS	Potential	Known	Core
Aquila audax subsp. fleayi	tasmanian wedge-tailed eagle	e	EN	1	0	0
Accipiter novaehollandiae	grey goshawk	e		1	0	1
Haliaeetus leucogaster	white-bellied sea-eagle	v		3	0	0

For more information about raptor nests, please contact Threatened Species Enquiries.


Telephone: 1300 368 550

Email: [ThreatenedSpecies.Enquiries@dpiwve.tas.gov.au](mailto:ThreatenedSpecies.Enquiries@dpiwve.tas.gov.au)

Address: GPO Box 44, Hobart, Tasmania, Australia, 7000

# Raptor nests and sightings within 5000 metres

530915, 5255493



522096, 5244246

Please note that some layers may not display at all requested map scales

# Raptor nests and sightings within 5000 metres

Legend: Verified and Unverified observations

● Point Verified

● Point Unverified

▬ Line Verified

▬ Line Unverified

▭ Polygon Verified

▭ Polygon Unverified

Legend: Cadastral Parcels



# Raptor nests and sightings within 5000 metres

## Verified Records

Nest Id/Location Foreign Id	Species	Common Name	Obs Type	Observation Count	Last Recorded
1764	<i>Aquila audax subsp. fleayi</i>	tasmanian wedge-tailed eagle	Nest	2	12-Nov-2008
386	<i>Aquila audax subsp. fleayi</i>	tasmanian wedge-tailed eagle	Nest	5	27-Nov-2014
625	<i>Tyto novaehollandiae</i>	masked owl	Nest	1	01-Jan-1985
	<i>Accipiter novaehollandiae</i>	grey goshawk	Audible	1	02-Feb-2014
	<i>Accipiter novaehollandiae</i>	grey goshawk	Carcass	2	15-Jun-2015
	<i>Accipiter novaehollandiae</i>	grey goshawk	Not Recorded	106	06-Aug-2018
	<i>Accipiter novaehollandiae</i>	grey goshawk	Sighting	33	01-Apr-2021
	<i>Aquila audax</i>	wedge-tailed eagle	Not Recorded	40	29-Aug-2018
	<i>Aquila audax</i>	wedge-tailed eagle	Sighting	8	06-Sep-2016
	<i>Aquila audax subsp. fleayi</i>	tasmanian wedge-tailed eagle	Not Recorded	1	01-Jan-1935
	<i>Aquila audax subsp. fleayi</i>	tasmanian wedge-tailed eagle	Sighting	2	11-Apr-2020
	<i>Falco cenchroides</i>	nankeen kestrel	Not Recorded	2	01-Jan-1900
	<i>Falco cenchroides</i>	nankeen kestrel	Sighting	1	01-Feb-1968
	<i>Falco longipennis</i>	australian hobby	Sighting	3	19-Mar-1997
	<i>Falco peregrinus</i>	peregrine falcon	Not Recorded	72	25-Aug-2018
	<i>Falco peregrinus</i>	peregrine falcon	Sighting	6	03-Apr-2020
	<i>Haliaeetus leucogaster</i>	white-bellied sea-eagle	Not Recorded	53	29-Aug-2018
	<i>Haliaeetus leucogaster</i>	white-bellied sea-eagle	Sighting	4	29-May-2020
	<i>Tyto novaehollandiae</i>	masked owl	Not Recorded	31	09-Jun-2018
	<i>Tyto novaehollandiae</i>	masked owl	Sighting	25	15-May-2018

## Unverified Records

No unverified records were found!

## Raptor nests and sightings within 5000 metres (based on Range Boundaries)


Species	Common Name	SS	NS	Potential	Known	Core
<i>Aquila audax subsp. fleayi</i>	tasmanian wedge-tailed eagle	e	EN	1	0	0
<i>Accipiter novaehollandiae</i>	grey goshawk	e		1	0	1
<i>Haliaeetus leucogaster</i>	white-bellied sea-eagle	v		3	0	0

For more information about raptor nests, please contact Threatened Species Enquiries.

Telephone: 1300 368 550

Email: [ThreatenedSpecies.Enquiries@dpiwve.tas.gov.au](mailto:ThreatenedSpecies.Enquiries@dpiwve.tas.gov.au)

Address: GPO Box 44, Hobart, Tasmania, Australia, 7000



525413, 5248757

Please note that some layers may not display at all requested map scales

# Tas Management Act Weeds within 500 m

Legend: Verified and Unverified observations

● Point Verified

✎ Line Unverified

● Point Unverified

□ Polygon Verified

✎ Line Verified

□ Polygon Unverified

Legend: Cadastral Parcels



# Tas Management Act Weeds within 500 m

## Verified Records

Species	Common Name	Observation Count	Last Recorded
<i>Asparagus asparagoides</i>	bridal creeper	2	30-Jun-2008
<i>Carduus pycnocephalus</i>	slender thistle	3	22-Oct-2018
<i>Carthamus lanatus</i>	saffron thistle	1	16-Mar-1914
<i>Chrysanthemoides monilifera</i> subsp. <i>monilifera</i>	boneseed	2	27-Aug-1957
<i>Cirsium arvense</i> var. <i>arvense</i>	creeping thistle	1	01-Oct-1897
<i>Egeria densa</i>	dense waterweed	2	07-Mar-1985
<i>Erica lusitanica</i>	spanish heath	1	08-Jan-1995
<i>Foeniculum vulgare</i>	fennel	6	10-Jan-2019
<i>Galium tricornutum</i>	rough corn bedstraw	1	01-Dec-1896
<i>Genista monspessulana</i>	montpellier broom	3	20-Apr-2021
<i>Hypericum perforatum</i> subsp. <i>veronense</i>	perforated st johns-wort	1	15-Jan-2008
<i>Ilex aquifolium</i>	holly	1	20-Apr-2021
<i>Lepidium draba</i>	hoary cress	1	01-Dec-1908
<i>Leycesteria formosa</i>	himalayan honeysuckle	1	27-Apr-1979
<i>Marrubium vulgare</i>	white horehound	1	06-Jan-1926
<i>Nassella neesiana</i>	chilean needlegrass	4	22-Oct-2018
<i>Pilosella aurantiaca</i> subsp. <i>aurantiaca</i>	orange hawkweed	1	01-Jan-2011
<i>Rubus anglocandicans</i>	blackberry	1	20-Mar-2020
<i>Rubus fruticosus</i>	blackberry	3	24-Apr-2021
<i>Salix x fragilis</i> nothovar. <i>fragilis</i>	crack willow	1	25-Feb-2004
<i>Ulex europaeus</i>	gorse	3	20-Apr-2021

## Unverified Records


For more information about introduced weed species, please visit the following URL for contact details in your area:

<https://www.dpipwe.tas.gov.au/invasive-species/weeds>



# Tas Management Act Weeds within 5000 m

530915, 5255493



522096, 5244246

Please note that some layers may not display at all requested map scales

# Tas Management Act Weeds within 5000 m

Legend: Verified and Unverified observations

● Point Verified

● Point Unverified

▬ Line Verified

▬ Line Unverified

□ Polygon Verified

□ Polygon Unverified

Legend: Cadastral Parcels



# Tas Management Act Weeds within 5000 m

## Verified Records

Species	Common Name	Observation Count	Last Recorded
<i>Alternanthera philoxeroides</i>	alligator weed	1	11-Mar-1998
<i>Amsinckia calycina</i>	hairy fiddleneck	17	12-Oct-2020
<i>Anthemis cotula</i>	stinking chamomile	3	01-Jun-2014
<i>Asparagus asparagoides</i>	bridal creeper	61	02-Jun-2021
<i>Asparagus scandens</i>	asparagus fern	1	27-Oct-2009
<i>Asphodelus fistulosus</i>	onion weed	5	05-Sep-2008
<i>Austroderia richardii</i>	toe-toe pampasgrass	3	03-Apr-2014
<i>Berberis darwinii</i>	darwins barberry	24	11-Mar-2021
<i>Calluna vulgaris</i>	heather	22	06-Mar-2021
<i>Carduus nutans</i>	nodding thistle	1	01-Jan-1993
<i>Carduus pycnocephalus</i>	slender thistle	15	22-Nov-2020
<i>Carduus tenuiflorus</i>	winged thistle	4	05-Dec-2007
<i>Carex albula</i>	frosted curls	4	09-Jun-1989
<i>Carex testacea</i>	redbase sedge	7	05-Dec-2007
<i>Carthamus lanatus</i>	saffron thistle	5	30-Apr-1942
<i>Cenchrus longisetus</i>	feathertop	4	20-Apr-2006
<i>Cenchrus macrourus</i>	african feathergrass	14	20-Mar-2018
<i>Ceratophyllum demersum</i>	rigid or common hornwort	1	24-Jul-1981
<i>Chrysanthemoides monilifera</i> subsp. <i>monilifera</i>	boneseed	1152	29-May-2021
<i>Cirsium arvense</i>	californian thistle	2	21-Mar-1966
<i>Cirsium arvense</i> var. <i>arvense</i>	creeping thistle	44	17-May-2021
<i>Coprosma robusta</i>	karamu	24	17-May-2021
<i>Cortaderia jubata</i>	pink pampasgrass	6	19-Mar-2020
<i>Cortaderia selloana</i>	silver pampasgrass	54	10-Apr-2021
<i>Cortaderia</i> sp.	pampas grass	65	02-Aug-2021
<i>Cuscuta epithymum</i>	lesser dodder	1	01-Mar-1961
<i>Cytisus scoparius</i>	english broom	153	29-May-2021
<i>Datura stramonium</i>	common thornapple	3	03-Mar-1983
<i>Echium plantagineum</i>	patersons curse	16	24-Dec-2020
<i>Echium vulgare</i>	vipers bugloss	2	01-Jan-1916
<i>Egeria densa</i>	dense waterweed	3	13-Jan-1996
<i>Elodea canadensis</i>	canadian pondweed	5	17-Dec-1971
<i>Eragrostis curvula</i>	african lovegrass	3	27-May-2021
<i>Erica arborea</i>	tree heath	18	03-May-2017
<i>Erica baccans</i>	berryflower heath	3	10-Sep-2014
<i>Erica carnea</i>		1	10-Apr-2019
<i>Erica cinerea</i>		1	10-Apr-2019
<i>Erica lusitanica</i>	spanish heath	836	02-Aug-2021
<i>Erica scoparia</i>	twig heath	1	10-Apr-2019
<i>Erica vagans</i>		1	10-Apr-2019
<i>Fallopia japonica</i>	japanese knotweed	7	04-Dec-2008
<i>Foeniculum vulgare</i>	fennel	95	17-May-2021
<i>Galium tricornutum</i>	rough corn bedstraw	3	16-Sep-2020
<i>Genista monspessulana</i>	montpellier broom	197	17-May-2021
<i>Hypericum perforatum</i>	perforated st johns-wort	30	17-May-2021
<i>Hypericum perforatum</i> subsp. <i>veronense</i>	perforated st johns-wort	11	15-Jan-2008
<i>Ilex aquifolium</i>	holly	172	17-May-2021
<i>Lantana camara</i>		1	01-Feb-2007
<i>Lepidium draba</i>	hoary cress	44	01-Dec-2020
<i>Leycesteria formosa</i>	himalayan honeysuckle	19	17-May-2021
<i>Lycium ferocissimum</i>	african boxthorn	24	05-Sep-2020
<i>Marrubium vulgare</i>	white horehound	19	28-Sep-2018
<i>Moraea flaccida</i>	oneleaf cape tulip	3	05-Oct-1981
<i>Myriophyllum aquaticum</i>	parrotfeather	8	01-Jul-2011
<i>Nassella neesiana</i>	chilean needlegrass	1630	19-Apr-2021
<i>Nassella trichotoma</i>	serrated tussock	13	17-Dec-2020
<i>Onopordum acanthium</i>	scotch thistle	5	10-Feb-2021
<i>Opuntia</i> sp.	prickly pear or cholla	2	10-Feb-2021
<i>Pilosella aurantiaca</i> subsp. <i>aurantiaca</i>	orange hawkweed	421	24-Jan-2020
<i>Rubus anglocandicans</i>	blackberry	78	12-May-2021
<i>Rubus fruticosus</i>	blackberry	606	17-May-2021
<i>Rubus leucostachys</i>	blackberry	2	12-Jan-1999

## Tas Management Act Weeds within 5000 m

Species	Common Name	Observation Count	Last Recorded
Rubus vestitus	blackberry	1	01-Jan-1900
Salix alba var. vitellina	golden willow	1	09-Dec-2010
Salix caprea	goat willow	2	17-May-2021
Salix cinerea subsp. cinerea	grey willow	4	11-Oct-2016
Salix humboldtiana	chilean pencil willow	2	15-Dec-2006
Salix matsudana	sallow willow	1	04-Mar-2004
Salix purpurea	purple willow	1	04-Mar-2004
Salix x fragilis nothovar. fragilis	crack willow	281	17-May-2021
Senecio jacobaea	ragwort	2	16-Sep-2020
Solanum marginatum	white-edged nightshade	7	01-Mar-2011
Ulex europaeus	gorse	732	02-Aug-2021
Urospermum dalechampii	false dandelion	56	13-Nov-2019
Xanthium spinosum	bathurst burr	2	01-Feb-1894


### Unverified Records

For more information about introduced weed species, please visit the following URL for contact details in your area:

<https://www.dpipwe.tas.gov.au/invasive-species/weeds>

# Priority Weeds within 500 m

527591, 5250988



525413, 5248757

Please note that some layers may not display at all requested map scales

# Priority Weeds within 500 m

Legend: Verified and Unverified observations

● Point Verified

● Point Unverified

▬ Line Verified

▬ Line Unverified

□ Polygon Verified

□ Polygon Unverified

Legend: Cadastral Parcels



# Priority Weeds within 500 m

## Verified Records

Species	Common Name	Observation Count	Last Recorded
<i>Ammophila arenaria</i>	marram grass	1	01-Dec-1898
<i>Echium candicans</i>	pride-of-madeira	5	20-Apr-2021
<i>Grevillea rosmarinifolia</i>	rosemary grevillea	2	19-Nov-2019
<i>Pittosporum undulatum</i>	sweet pittosporum	2	28-Apr-2021
<i>Verbascum thapsus</i>	great mullein	2	20-Apr-2021


## Unverified Records

For more information about introduced weed species, please visit the following URL for contact details in your area:

<https://www.dpipwe.tas.gov.au/invasive-species/weeds>

# Priority Weeds within 5000 m

530915, 5255493



522096, 5244246

Please note that some layers may not display at all requested map scales



# Priority Weeds within 5000 m

Legend: Verified and Unverified observations

● Point Verified

● Point Unverified

▬ Line Verified

▬ Line Unverified

□ Polygon Verified

□ Polygon Unverified

Legend: Cadastral Parcels



# Priority Weeds within 5000 m

## Verified Records

Species	Common Name	Observation Count	Last Recorded
<i>Acacia baileyana</i>	cootamundra wattle	11	03-Feb-2021
<i>Acacia howittii</i>	sticky wattle	14	03-May-2019
<i>Achillea millefolium</i>	yarrow	5	01-Dec-1944
<i>Ammophila arenaria</i>	marram grass	5	17-May-1954
<i>Anredera cordifolia</i>	madeira vine	6	03-May-2001
<i>Billardiera heterophylla</i>	bluebell creeper	46	03-Feb-2021
<i>Cenchrus clandestinus</i>	kikuyu grass	1	23-Jan-1986
<i>Dipsacus fullonum</i>	wild teasel	4	04-Feb-2021
<i>Echium candicans</i>	pride-of-madeira	26	20-Apr-2021
<i>Equisetum hyemale</i>	rough horsetail	2	01-May-2007
<i>Gomphocarpus fruticosus</i> subsp. <i>fruticosus</i>	swanplant	4	10-Aug-2009
<i>Grevillea rosmarinifolia</i>	rosemary grevillea	14	17-May-2021
<i>Pittosporum undulatum</i>	sweet pittosporum	205	26-Jun-2021
<i>Polygala myrtifolia</i>	myrtleleaf milkwort	7	13-Nov-2019
<i>Prunus laurocerasus</i>	cherry laurel	23	17-May-2021
<i>Reseda luteola</i>	weld	34	31-Mar-2021
<i>Rumex obtusifolius</i>	broadleaf dock	8	01-Sep-2001
<i>Rumex obtusifolius</i> subsp. <i>obtusifolius</i>	western broadleaf dock	3	01-May-1945
<i>Salix x pendulina</i> var. <i>pendulina</i>	weeping willow	9	17-May-2021
<i>Tradescantia fluminensis</i>	wandering creeper	9	01-Nov-2019
<i>Verbascum thapsus</i>	great mullein	19	20-Apr-2021
<i>Watsonia meriana</i> var. <i>bulbillifera</i>	bulbil watsonia	1	03-May-2019


## Unverified Records

For more information about introduced weed species, please visit the following URL for contact details in your area:

<https://www.dpipwe.tas.gov.au/invasive-species/weeds>

# Geoconservation sites within 1000 metres

527960, 5251488



525044, 5248255

Please note that some layers may not display at all requested map scales

# Geoconservation sites within 1000 metres

Legend: Geoconservation (NVA)



Legend: Cadastral Parcels



## Geoconservation sites within 1000 metres

Id	Name	Statement of Significance	Significance Level	Status
3173	Cenozoic Plant Macrofossils of Tasmania	Tasmania contains a rich assemblage of Cenozoic plant macrofossils, many in an excellent state of preservation. Collectively, the fossil sites allow reconstruction of the character, evolution and palaeoenvironmental context of the southern hemisphere temperate palaeoflora of Tasmania across ca. 60 million years. The fossil record is crucial to our understanding of Tasmania's distinctive modern flora, especially conifers.	Global	Listed
2237	Mt Nelson Dolerite Intrusion exposures	Notable example of type, representative of key features of Jurassic dolerite intrusions in Tasmania.	National	Listed
3206	Sandy Bay Palaeogene Plant Fossil site	This is one of a number of Palaeogene plant macrofossil sites in the Derwent Graben region of Tasmania. It preserves evidence that contributes to our understanding of the character, evolution and palaeoenvironmental context of Tasmania's Cenozoic flora.	District	Listed

For more information about the Geoconservation Database, please visit the website: <https://dipwwe.tas.gov.au/conservation/geoconservation> or contact the Geoconservation Officer:

Telephone: (03) 6165 4401

Email: [Geoconservation.Enquiries@dipwwe.tas.gov.au](mailto:Geoconservation.Enquiries@dipwwe.tas.gov.au)

Address: GPO Box 44, Hobart, Tasmania, Australia, 7000

# Acid Sulfate Soils within 1000 metres

527960, 5251488



525044, 5248255


Please note that some layers may not display at all requested map scales

# Acid Sulfate Soils within 1000 metres

Legend: Coastal Acid Sulfate Soils (0 - 20m AHD)

 High


 Low

 Extremely Low


Legend: Inland Acid Sulfate Soils (>20m AHD)


 High

 Low

 Extremely Low

Legend: Marine Subaqueous/Intertidal Acid Sulfate Soil

 High (Intertidal)

 High (Subtidal)

Legend: Cadastral Parcels



## Acid Sulfate Soils within 1000 metres

Dataset Name	Acid Sulfate Soil Probability	Acid Sulfate Soil Atlas	Description
Coastal Acid Sulfate Soils	Low	Bg(p3)	Low probability of occurrence (6-70% chance of occurrence in mapping unit). Floodplains >4m AHD, ASS generally below 3m from the surface.generally forests. Includes plains and levees. Potential acid sulfate soil (PASS) = sulfidic material (Isbell 1996 p.122). No necessary analytical data are available but confidence is fair, based on a knowledge of similar soils in similar environments.
Coastal Acid Sulfate Soils	Low	Bu(p3)	Low probability of occurrence (6-70% chance of occurrence in mapping unit). Unclassified - Insufficient landscape information available to classify map unit. Potential acid sulfate soil (PASS) = sulfidic material (Isbell 1996 p.122). No necessary analytical data are available but confidence is fair, based on a knowledge of similar soils in similar environments.
Coastal Acid Sulfate Soils	Low	Bx(p3)	Low probability of occurrence (6-70% chance of occurrence in mapping unit). Disturbed ASS terrain, ASS material present below urban development, or present in former tidal zones inside bund walls e.g dredge spoil etc. Potential acid sulfate soil (PASS) = sulfidic material (Isbell 1996 p.122). No necessary analytical data are available but confidence is fair, based on a knowledge of similar soils in similar environments.
Marine Subaqueous and Intertidal Acid Sulfate Soils	High	Aa(p3)	High probability of occurrence (>70% chance of occurrence in mapping unit). Subaqueous material in subtidal wetland, PASS material and/or MBO. Often seagrasses. Potential acid sulfate soil (PASS) = sulfidic material (Isbell 1996 p.122). No necessary analytical data are available but confidence is fair, based on a knowledge of similar soils in similar environments.
Marine Subaqueous and Intertidal Acid Sulfate Soils	High	Ab(p2)	High probability of occurrence (>70% chance of occurrence in mapping unit). Intertidal flats, PASS generally within upper 1m. Potential acid sulfate soil (PASS) = sulfidic material (Isbell 1996 p.122). Analytical data are incomplete but are sufficient to classify the soil with a reasonable degree of confidence.

For more information about Acid Sulfate Soils, please contact Land Management Enquiries.


Telephone: (03) 6777 2227

Fax: (03) 6336 5111

Email: [LandManagement.Enquiries@dpiw.tas.gov.au](mailto:LandManagement.Enquiries@dpiw.tas.gov.au)

Address: 171 Westbury Road, Prospect, Tasmania, Australia, 7250
































































525044, 5248255






























































Please note that some layers may not display at all requested map scales

# TASVEG 4.0 Communities within 1000 metres





















## Legend: TASVEG 4.0

	(AAP) Alkaline pans
	(AHF) Freshwater aquatic herbland
	(AHL) Lacustrine herbland
	(AHS) Saline aquatic herbland
	(ARS) Saline sedgeland / rushland
	(ASF) Fresh water aquatic sedgeland and rushland
	(ASP) Sphagnum peatland
	(ASS) Succulent saline herbland
	(AUS) Saltmarsh (undifferentiated)
	(AWU) Wetland (undifferentiated)
	(DAC) Eucalyptus amygdalina coastal forest and woodland
	(DAD) Eucalyptus amygdalina forest and woodland on dolerite
	(DAM) Eucalyptus amygdalina forest on mudstone
	(DAS) Eucalyptus amygdalina forest and woodland on sandstone
	(DAZ) Eucalyptus amygdalina inland forest and woodland on Cainozoic deposits
	(DBA) Eucalyptus barberi forest and woodland
	(DCO) Eucalyptus coccifera forest and woodland
	(DCR) Eucalyptus cordata forest
	(DDE) Eucalyptus delegatensis dry forest and woodland
	(DDP) Eucalyptus dalrympleana - Eucalyptus pauciflora forest and woodland
	(DGL) Eucalyptus globulus dry forest and woodland
	(DGW) Eucalyptus gunnii woodland
	(DKW) King Island Eucalypt woodland
	(DMO) Eucalyptus morrisbyi forest and woodland
	(DMW) Midlands woodland complex
	(DNF) Eucalyptus nitida Furneaux forest
	(DNI) Eucalyptus nitida dry forest and woodland
	(DOB) Eucalyptus obliqua dry forest
	(DOV) Eucalyptus ovata forest and woodland
	(DOW) Eucalyptus ovata heathy woodland
	(DPD) Eucalyptus pauciflora forest and woodland on dolerite
	(DPE) Eucalyptus perriniana forest and woodland
	(DPO) Eucalyptus pauciflora forest and woodland not on dolerite
	(DPU) Eucalyptus pulchella forest and woodland
	(DRI) Eucalyptus risdonii forest and woodland
	(DRO) Eucalyptus rodwayi forest and woodland
	(DSC) Eucalyptus amygdalina - Eucalyptus obliqua damp sclerophyll forest
	(DSG) Eucalyptus sieberi forest and woodland on granite
	(DSO) Eucalyptus sieberi forest and woodland not on granite
	(DTD) Eucalyptus tenuiramis forest and woodland on dolerite
	(DTG) Eucalyptus tenuiramis forest and woodland on granite
	(DTO) Eucalyptus tenuiramis forest and woodland on sediments
	(DVC) Eucalyptus viminalis - Eucalyptus globulus coastal forest and woodland
	(DVF) Eucalyptus viminalis Furneaux forest and woodland
	(DVG) Eucalyptus viminalis grassy forest and woodland
	(FAC) Improved pasture with native tree canopy
	(FAG) Agricultural land
	(FMG) Marram grassland
	(FPE) Permanent easements
	(FPF) Pteridium esculentum fernland
	(FPH) Plantations for silviculture - hardwood
	(FPS) Plantations for silviculture - softwood
	(FPU) Unverified plantations for silviculture
	(FRG) Regenerating cleared land
	(FSM) Spartina marshland
	(FUM) Extra-urban miscellaneous
	(FUR) Urban areas
	(FWU) Weed infestation
	(GCL) Lowland grassland complex

# TASVEG 4.0 Communities within 1000 metres

	(GHC) Coastal grass and herbfield
	(GPH) Highland Poa grassland
	(GPL) Lowland Poa labillardierei grassland
	(GRP) Rockplate grassland
	(GSL) Lowland grassy sedgeland
	(GTL) Lowland Themeda triandra grassland
	(HCH) Alpine coniferous heathland
	(HCM) Cushion moorland
	(HHE) Eastern alpine heathland
	(HHW) Western alpine heathland
	(HSE) Eastern alpine sedgeland
	(HSW) Western alpine sedgeland/herbland
	(HUE) Eastern alpine vegetation (undifferentiated)
	(MBE) Eastern buttongrass moorland
	(MBP) Pure buttongrass moorland
	(MBR) Sparse buttongrass moorland on slopes
	(MBS) Buttongrass moorland with emergent shrubs
	(MBU) Buttongrass moorland (undifferentiated)
	(MBW) Western buttongrass moorland
	(MDS) Subalpine Diplarrena latifolia rushland
	(MGH) Highland grassy sedgeland
	(MRR) Restionaceae rushland
	(MSW) Western lowland sedgeland
	(NAD) Acacia dealbata forest
	(NAF) Acacia melanoxylon swamp forest
	(NAL) Allocasuarina littoralis forest
	(NAR) Acacia melanoxylon forest on rises
	(NAV) Allocasuarina verticillata forest
	(NBA) Bursaria - Acacia woodland
	(NBS) Banksia serrata woodland
	(NCR) Callitris rhomboidea forest
	(NLA) Leptospermum scoparium - Acacia mucronata forest
	(NLE) Leptospermum forest
	(NLM) Leptospermum lanigerum - Melaleuca squarrosa swamp forest
	(NLN) Subalpine Leptospermum nitidum woodland
	(NME) Melaleuca ericifolia swamp forest
	(OAQ) Water, sea
	(ORO) Lichen lithosere
	(OSM) Sand, mud
	(RCO) Coastal rainforest
	(RFE) Rainforest fernland
	(RFS) Nothofagus gunnii rainforest scrub
	(RHP) Lagarostrobos franklinii rainforest and scrub
	(RKF) Athrotaxis selaginoides - Nothofagus gunnii short rainforest
	(RKP) Athrotaxis selaginoides rainforest
	(RKS) Athrotaxis selaginoides subalpine scrub
	(RKX) Highland rainforest scrub with dead Athrotaxis selaginoides
	(RML) Nothofagus - Leptospermum short rainforest
	(RMS) Nothofagus - Phyllocladus short rainforest
	(RMT) Nothofagus - Atherosperma rainforest
	(RMU) Nothofagus rainforest (undifferentiated)
	(RPF) Athrotaxis cupressoides - Nothofagus gunnii short rainforest
	(RPP) Athrotaxis cupressoides rainforest
	(RPW) Athrotaxis cupressoides open woodland
	(RSH) Highland low rainforest and scrub
	(SAL) Acacia longifolia coastal scrub
	(SBM) Banksia marginata wet scrub
	(SBR) Broad-leaf scrub
	(SCA) Coastal scrub on alkaline sands
	(SCH) Coastal heathland
	(SCL) Heathland on calcareous substrates

# TASVEG 4.0 Communities within 1000 metres

-  (SED) Eastern scrub on dolerite
-  (SHS) Subalpine heathland
-  (SHW) Wet heathland
-  (SKA) Kunzea ambigua regrowth scrub
-  (SLG) Leptospermum glaucescens heathland and scrub
-  (SLL) Leptospermum lanigerum scrub
-  (SLS) Leptospermum scoparium heathland and scrub
-  (SMM) Melaleuca squamea heathland
-  (SMP) Melaleuca pustulata scrub
-  (SMR) Melaleuca squarrosa scrub
-  (SRE) Eastern riparian scrub
-  (SRF) Leptospermum with rainforest scrub
-  (SRH) Rookery halophytic herbland
-  (SSC) Coastal scrub
-  (SSK) Scrub complex on King Island
-  (SSW) Western subalpine scrub
-  (SSZ) Spray zone coastal complex
-  (SWR) Western regrowth complex
-  (SWW) Western wet scrub
-  (WBR) Eucalyptus brookeriana wet forest
-  (WDA) Eucalyptus dalrympleana forest
-  (WDB) Eucalyptus delegatensis forest with broad-leaf shrubs
-  (WDL) Eucalyptus delegatensis forest over Leptospermum
-  (WDR) Eucalyptus delegatensis forest over rainforest
-  (WDU) Eucalyptus delegatensis wet forest (undifferentiated)
-  (WGK) Eucalyptus globulus King Island forest
-  (WGL) Eucalyptus globulus wet forest
-  (WNL) Eucalyptus nitida forest over Leptospermum
-  (WNR) Eucalyptus nitida forest over rainforest
-  (WNU) Eucalyptus nitida wet forest (undifferentiated)
-  (WOB) Eucalyptus obliqua forest with broad-leaf shrubs
-  (WOL) Eucalyptus obliqua forest over Leptospermum
-  (WOR) Eucalyptus obliqua forest over rainforest
-  (WOU) Eucalyptus obliqua wet forest (undifferentiated)
-  (WRE) Eucalyptus regnans forest
-  (WSU) Eucalyptus subcrenulata forest and woodland
-  (WVI) Eucalyptus viminalis wet forest

Legend: Cadastral Parcels



## TASVEG 4.0 Communities within 1000 metres

Code	Community	Canopy Tree
DGL	(DGL) Eucalyptus globulus dry forest and woodland	
DOB	(DOB) Eucalyptus obliqua dry forest	
DPU	(DPU) Eucalyptus pulchella forest and woodland	
FAG	(FAG) Agricultural land	
FRG	(FRG) Regenerating cleared land	
FUM	(FUM) Extra-urban miscellaneous	
FUR	(FUR) Urban areas	
GCL	(GCL) Lowland grassland complex	
NAV	(NAV) Allocasuarina verticillata forest	
WGL	(WGL) Eucalyptus globulus wet forest	

For more information contact: Coordinator, Tasmanian Vegetation Monitoring and Mapping Program.

Telephone: (03) 6165 4320

Email: [TVMMPsupport@dipwe.tas.gov.au](mailto:TVMMPsupport@dipwe.tas.gov.au)

Address: GPO Box 44, Hobart, Tasmania, Australia, 7000



525044, 5248255

Please note that some layers may not display at all requested map scales

# Threatened Communities (TNVC 2020) within 1000 metres

## Legend: Threatened Communities

- 1 - Alkaline pans
- 2 - Allocasuarina littoralis forest
- 3 - Athrotaxis cupressoides/Nothofagus gunnii short rainforest
- 4 - Athrotaxis cupressoides open woodland
- 5 - Athrotaxis cupressoides rainforest
- 6 - Athrotaxis selaginoides/Nothofagus gunnii short rainforest
- 7 - Athrotaxis selaginoides rainforest
- 8 - Athrotaxis selaginoides subalpine scrub
- 9 - Banksia marginata wet scrub
- 10 - Banksia serrata woodland
- 11 - Callitris rhomboidea forest
- 13 - Cushion moorland
- 14 - Eucalyptus amygdalina forest and woodland on sandstone
- 15 - Eucalyptus amygdalina inland forest and woodland on cainozoic deposits
- 16 - Eucalyptus brookeriana wet forest
- 17 - Eucalyptus globulus dry forest and woodland
- 18 - Eucalyptus globulus King Island forest
- 19 - Eucalyptus morrisbyi forest and woodland
- 20 - Eucalyptus ovata forest and woodland
- 21 - Eucalyptus risdonii forest and woodland
- 22 - Eucalyptus tenuiramis forest and woodland on sediments
- 23 - Eucalyptus viminalis - Eucalyptus globulus coastal forest and woodland
- 24 - Eucalyptus viminalis Furneaux forest and woodland
- 25 - Eucalyptus viminalis wet forest
- 26 - Heathland on calcareous substrates
- 27 - Heathland scrub complex at Wingaroo
- 28 - Highland grassy sedge land
- 29 - Highland Poa grassland
- 30 - Melaleuca ericifolia swamp forest
- 31 - Melaleuca pustulata scrub
- 32 - Notelaea - Pomaderris - Beyeria forest
- 33 - Rainforest fernland
- 34 - Riparian scrub
- 35 - Seabird rookery complex
- 36 - Sphagnum peatland
- 36A - Spray zone coastal complex
- 37 - Subalpine Diplarrena latifolia rushland
- 38 - Subalpine Leptospermum nitidum woodland
- 39 - Wetlands

## Legend: Cadastral Parcels



## Threatened Communities (TNVC 2020) within 1000 metres

Scheduled Community Id	Scheduled Community Name
17	Eucalyptus globulus dry forest and woodland

For more information contact: Coordinator, Tasmanian Vegetation Monitoring and Mapping Program.

Telephone: (03) 6165 4320


Email: [TVMMPsupport@dipwe.tas.gov.au](mailto:TVMMPsupport@dipwe.tas.gov.au)

Address: GPO Box 44, Hobart, Tasmania, Australia, 7000



# Fire History (All) within 1000 metres

527960, 5251488






525044, 5248255

Please note that some layers may not display at all requested map scales

# Fire History (All) within 1000 metres

Legend: Fire History All

-  Bushfire-Unknown Category
-  Completed Planned Burn

-  Bushfire

Legend: Cadastral Parcels



## Fire History (All) within 1000 metres

Incident Number	Fire Name	Ignition Date	Fire Type	Ignition Cause	Fire Area (HA)
126758	Proctors Road, Mt Nelson	12-Oct-2006	Bushfire	Undetermined	74.93907879
262944	Uni Reserve Fire Trail, Dynnyrne	13-Mar-2018	Bushfire	Accidental	5.597E-5
HHZ002BU	Lower Enterprise (BravoSector)	01-Oct-2018	Planned Burn	Planned Burn	2.11049764
HHZ007BU	Lambert Skyline 22	12-Apr-2016	Planned Burn	Planned Burn	0.72055136
THU201BU	Olinda Grove	03-Apr-2017	Planned Burn	Planned Burn	10.38358152
THU202BU	Proctors Rd	27-Mar-2020	Planned Burn	Planned Burn	7.75442748
	1967 Fire	07-Feb-1967	Bushfire	Undetermined	198780.41788592
	Ridgeway	17-Jan-1998	Bushfire	Accidental	3166.7162194
	UTAS Reserve Bushfire	01-Jan-1995	Bushfire	Undetermined	70.80610033

For more information about Fire History, please contact the Manager Community Protection Planning, Tasmania Fire Service.

Telephone: 1800 000 699

Email: [planning@fire.tas.gov.au](mailto:planning@fire.tas.gov.au)

Address: cnr Argyle and Melville Streets, Hobart, Tasmania, Australia, 7000

# Fire History (Last Burnt) within 1000 metres

527960, 5251488






525044, 5248255

Please note that some layers may not display at all requested map scales

# Fire History (Last Burnt) within 1000 metres

Legend: Fire History Last

-  Bushfire-Unknown category
-  Completed Planned Burn

 Bushfire

Legend: Cadastral Parcels



## Fire History (Last Burnt) within 1000 metres

Incident Number	Fire Name	Ignition Date	Fire Type	Ignition Cause	Fire Area (HA)
126758	Proctors Road, Mt Nelson	12-Oct-2006	Bushfire	Undetermined	74.93907879
262944	Uni Reserve Fire Trail, Dynnyrne	13-Mar-2018	Bushfire	Accidental	5.597E-5
HHZ002BU	Lower Enterprise (BravoSector)	01-Oct-2018	Planned Burn	Planned Burn	2.11049764
HHZ007BU	Lambert Skyline 22	12-Apr-2016	Planned Burn	Planned Burn	0.72055136
THU201BU	Olinda Grove	03-Apr-2017	Planned Burn	Planned Burn	10.38358152
THU202BU	Proctors Rd	27-Mar-2020	Planned Burn	Planned Burn	7.75442748
	1967 Fire	07-Feb-1967	Bushfire	Undetermined	198780.41788592
	Ridgeway	17-Jan-1998	Bushfire	Accidental	3166.7162194
	UTAS Reserve Bushfire	01-Jan-1995	Bushfire	Undetermined	70.80610033

For more information about Fire History, please contact the Manager Community Protection Planning, Tasmania Fire Service.


Telephone: 1800 000 699

Email: [planning@fire.tas.gov.au](mailto:planning@fire.tas.gov.au)

Address: cnr Argyle and Melville Streets, Hobart, Tasmania, Australia, 7000

# Reserves within 1000 metres

527960, 5251488




























525044, 5248255

Please note that some layers may not display at all requested map scales

# Reserves within 1000 metres

## Legend: Tasmanian Reserve Estate

-  Conservation Area
-  Conservation Area and Conservation Covenant (NCA)
-  Game Reserve
-  Historic Site
-  Indigenous Protected Area
-  National Park
-  Nature Reserve
-  Nature Recreation Area
-  Regional Reserve
-  State Reserve
-  Wellington Park
-  Public authority land within WHA
-  Future Potential Production Forest
-  Informal Reserve on Permanent Timber Production Zone Land or STT managed land
-  Informal Reserve on other public land
-  Conservation Covenant (NCA)
-  Private Nature Reserve and Conservation Covenant (NCA)
-  Private Sanctuary and Conservation Covenant (NCA)
-  Private Sanctuary
-  Private land within WHA
-  Management Agreement
-  Management Agreement and Stewardship Agreement
-  Stewardship Agreement
-  Part 5 Agreement (Meander Dam Offset)
-  Other Private Reserve

## Legend: Cadastral Parcels





## Reserves within 1000 metres

Name	Classification	Status	Area (HA)
	Informal Reserve on other public land	Informal Reserve	0.58659919
	Informal Reserve on other public land	Informal Reserve	4.00530292
	Informal Reserve on other public land	Informal Reserve	4.2540853
	Informal Reserve on other public land	Informal Reserve	6.40387893
	Informal Reserve on other public land	Informal Reserve	92.98371518

For more information about the Tasmanian Reserve Estate, please contact the Sustainable Land Use and Information Management Branch.


Telephone: (03) 6777 2224

Email: [LandManagement.Enquiries@dpiwpe.tas.gov.au](mailto:LandManagement.Enquiries@dpiwpe.tas.gov.au)

Address: GPO Box 44, Hobart, Tasmania, Australia, 7000

# Known biosecurity risks within 1000 meters

527960, 5251488



525044, 5248255

Please note that some layers may not display at all requested map scales

# Known biosecurity risks within 1000 meters

## Legend: Biosecurity Risk Species

● Point Verified

▬ Line Unverified

● Point Unverified

▭ Polygon Verified

▬ Line Verified

▭ Polygon Unverified

## Legend: Hygiene infrastructure

● Location Point Verified

▬ Location Line Verified

▭ Location Polygon Verified

● Location Point Unverified

▬ Location Line Unverified

▭ Location Polygon Unverified

## Legend: Cadastral Parcels



# Known biosecurity risks within 1000 meters

## Verified Species of biosecurity risk

Species Name	Common Name	Prescription	Observation Count	Last Recorded
Batrachochytrium dendrobatidis	chytrid fungus		3	18-Jan-2005
Mus musculus	house mouse		2	01-Oct-1966
Phytophthora cinnamomi	root rot or water mould		1	20-Jan-1978
Rattus norvegicus	brown rat		3	23-Nov-2011
Rattus rattus	black rat		3	05-Oct-2011

## Unverified Species of biosecurity risk

No unverified species of biosecurity risk found within 1000 metres

## Generic Biosecurity Guidelines

The level and type of hygiene protocols required will vary depending on the tenure, activity and land use of the area. In all cases adhere to the land manager's biosecurity (hygiene) protocols. As a minimum always Check / Clean / Dry (Disinfect) clothing and equipment before trips and between sites within a trip as needed <https://www.dpipwe.tas.gov.au/invasive-species/weeds/weed-hygiene/keeping-it-clean-a-tasmanian-field-hygiene-manual>

On Reserved land, the more remote, infrequently visited and undisturbed areas require tighter biosecurity measures.

In addition, where susceptible species and communities are known to occur, tighter biosecurity measures are required.

Apply controls relevant to the area / activity:

- Don't access sites infested with pathogen or weed species unless absolutely necessary. If it is necessary to visit, adopt high level hygiene protocols.
- Consider not accessing non-infested sites containing known susceptible species / communities. If it is necessary to visit, adopt high level hygiene protocols.
- Don't undertake activities that might spread pest / pathogen / weed species such as deliberately moving soil or water between areas.
- Modify / restrict activities to reduce the chance of spreading pest / pathogen / weed species e.g. avoid periods when weeds are seeding, avoid clothing/equipment that excessively collects soil and plant material e.g. Velcro, excessive tread on boots.
- Plan routes to visit clean (uninfested) sites prior to dirty (infested) sites. Do not travel through infested areas when moving between sites.
- Minimise the movement of soil, water, plant material and hitchhiking wildlife between areas by using the Check / Clean / Dry (Disinfect when drying is not possible) procedure for all clothing, footwear, equipment, hand tools and vehicles <https://www.dpipwe.tas.gov.au/invasive-species/weeds/weed-hygiene>
- Neoprene and netting can take 48 hours to dry, use non-porous gear wherever possible.
- Use walking track boot wash stations where available.
- Keep a hygiene kit in the vehicle that includes a scrubbing brush, boot pick, and disinfectant <https://www.dpipwe.tas.gov.au/invasive-species/weeds/weed-hygiene/keeping-it-clean-a-tasmanian-field-hygiene-manual>
- Dispose of all freshwater away from natural water bodies e.g. do not empty water into streams or ponds.
- Dispose of used disinfectant ideally in town through a treatment or septic system. Always keep disinfectant well away from natural water systems.
- Securely contain any high risk pest / pathogen / weed species that must be collected and moved e.g. biological samples.

## Hygiene Infrastructure

No known hygiene infrastructure found within 1000 metres